



Collection Summary









The Royal Modular 2.0 range includes:

- 17 different widths in 100 mm steps (500 - 2100 mm), additionally 1050 and 1750 mm
- 2 Heights (700 / 900 mm)
- 2 Depths (120 / 160 mm)
- 2 installation options (for recessed installation / wall mounted)
- 3 Illuminationsvarianten (not illuminated / illuminated / illuminated DALI controlled) *
and different socket versions

* DALI (DT8) is a standardised, globally distributed interface protocol for lighting control in rooms.

Various devices such as e.g. KEUCO mirror cabinets, illuminated mirrors, make-up mirrors, shower lights, ceiling-mounted lights and downlights lend themselves to this switch on and off, dim and change in the color temperature.

DALI controlled KEUCO lighting products have 5-core connection cables and special software and can thus easily integrate with DALI systems

Basic Article Mirror cabinet	1 door 500-600 mm	2 doors 600-1200 mm	3 doors 900-1500 mm	4 doors 1600-2100 mm
not illuminated	 page 37.4	 page 37.5	 page 37.6	 page 37.7
illuminated	 page 37.8	 page 37.9	 page 37.10	 page 37.11

In addition, there are 8 tall cabinets (page 08.12) and accessories for the interior (page 37.13).

Ordering Example

Ordering information:

The basic article can optionally be supplemented by various options.

The complete article no. is made from the basic article number plus additionally the desired options.

Depending on the choice of options, the article no. starting with the corresponding digit (marked in bold)

and add the corresponding additional price from the price column (right).

This results in a compound, 15-digit article no. and the total price,

which is determined from the sum of the basic price plus options prices.

Ordering example:

Mirror cabinet, 1 door, not illuminated, door hinged left, wall mounted version, 600 x 700 x 120 mm, with 1 socket

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80000 ... Mirror cabinet, 1 door door hinged left, not illuminated					
80010 ... Mirror cabinet, 1 door, Door hinged right, not illuminated					
	... 0 recessed installation				
	... 1 wall mounted				
		... 05 500			
		... 06 600			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 100 1 x
Basic article: Mirror cabinet, 1 door, door hinged left	Wall mounted	600 mm	700 mm	120 mm	1 Socket
Article No. 80000 1	... 06	... 0	... 003	... 100
Price					

Ordering Article No.: 800001060000100

Total price:

Mirror cabinets not illuminated

**Mirror cabinet Royal Modular 2.0**

1 door, double sided crystal mirror, body aluminium silver-anodized,
rear panel in back-lacquered white glass

Illumination: not illuminated

Basic equipment:

adjustable glass shelves: 3 x at cabinet height 700 mm / 4 x at cabinet height 900 mm

Selectable options:


Installation: For recessed installation / Wall mounted

Width X: 500 / 600 mm

Height Y: 700 / 900 mm

Depth Z: 120 / 160 mm

Socket: without / 1 socket



Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80000 ... Mirror cabinet, 1 door, door hinged left, not illuminated					
80010 ... Mirror cabinet, 1 door, door hinged right, not illuminated					
	... 0 recessed installation				
	... 1 wall mounted				
		... 05 500			
		... 06 600			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 100 1 x
Article No.					
Price					

Ordering Article No.:

Total price:

Mirror cabinets not illuminated

**Mirror cabinet Royal Modular 2.0**

2 doors double sided crystal mirror, body aluminium silver-anodized,
rear panel in back-lacquered white glass

Illumination: not illuminated

Basic equipment:

adjustable glass shelves: 3 x at cabinet height 700 mm / 4 x at cabinet height 900 mm

Selectable options:


Installation: For recessed installation- / wall mounted

Width X: 600 – 1200 mm

Height Y: 700 / 900 mm

Depth Z: 120 / 160 mm

Socket: without / 1 socket / 1 socket + 1 double USB charger



Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80020 ... mirror cabinets, 2 door, not illuminated	... 0 recessed installation				
	... 1 wall mounted				
	NEW	... 06 600			
		... 07 700			
		... 08 800			
		... 09 900			
		... 10 1000			
		... 00 1050			
		... 11 1100			
		... 12 1200			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 200 1 x
					... 300 1 x + 1 double USB charger
Article No.:					
Price:					

Ordering Article No.:

Total price:

Mirror cabinets not illuminated

**Mirror cabinet Royal Modular 2.0**

3 doors double sided crystal mirror, body aluminium silver-anodized,
rear panel in back-lacquered white glass

Illumination: not illuminated

Basic equipment:

adjustable glass shelves:

6 x at cabinet height 700 mm / 8 x at cabinet height 900 mm

Selectable options:


Installation: For recessed installation- / wall mounted

Width X: 900 - 1500 mm

Height Y: 700 / 900 mm

Depth Z: 120 / 160 mm

Socket: without / 1 socket / 1 socket + 1 double USB charger



Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80030 ... Mirror cabinet, 3 doors, not illuminated					
	... 0 recessed installation				
	... 1 wall mounted				
		...09 900			
		...10 1000			
		NEW ...00 1050			
		...11 1100			
		...12 1200			
		...13 1300			
		...14 1400			
		...15 1500			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 200 1 x
					... 300 1 x + 1 double USB charger
Article No.:					
Price:					
Ordering Article No.:			Total price:		

Mirror cabinets not illuminated

**Mirror cabinet Royal Modular 2.0**

4 doors double sided crystal mirror, body aluminium silver-anodized, rear panel in back-lacquered white glass

Illumination: not illuminated

Basic equipment:

adjustable glass shelves:

6 x at cabinet height 700 mm / 8 x at cabinet height 900 mm

Selectable options:


Installation: for recessed installation- / wall mounted

Width X: 1600 - 2100 mm

Height Y: 700 / 900 mm

Depth Z: 120 / 160 mm

Socket: without / 2 sockets / 2 sockets + 2 double USB charger



Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80040 ... mirror cabinet, 4 doors, not illuminated	... 0 recessed installation				
	... 1 wall mounted				
	NEW	... 16 1600			
		... 17 1700			
		... 01 1750			
		... 18 1800			
		... 19 1900			
		... 20 2000			
		... 21 2100			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 400 2 x
					... 500 2 x + 2 double USB charger
Article No.:					
Price:					

Ordering Article No.:

Total price:

Mirror cabinets illuminated

**Mirror cabinet Royal Modular 2.0**

1 door double sided crystal mirror, body aluminium silver-anodized,
rear panel in back-lacquered white glass

Illumination:

adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight),
top- and downlight are infinitely dimmable and can be switched on/off,
LED 18-22 Watt (Lifespan > 30.000 hrs.) lamps non-exchangeable

Operation:

Key panel with capacitive touch sensor

Basic equipment:

adjustable glass shelves: 3 x at cabinet height 700 mm / 4 x at cabinet height 900 mm

Selectable options:

Illumination: illuminated / illuminated DALI controlled


Installation: for recessed installation- / wall mounted

Width X: 500 / 600 mm

Height Y: 700 / 900 mm

Depth Z: 120 / 160 mm



Socket: without / 1 socket



Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80001 ... Mirror cabinet, 1 door, door hinged left, illuminated					
80011 ... Mirror cabinet, 1 door, Door hinged right, illuminated					
80002 ... Mirror cabinet, 1 door, door hinged left, illuminated, DALI controlled					
80012 ... Mirror cabinet, 1 door, door hinged right, illuminated, DALI controlled					
	... 0 recessed installation				
	... 1 wall mounted				
		... 05 500			
		... 06 600			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 100 1 x
Article No.:					
Price:					
Ordering Article No.:			Total price:		

Mirror cabinets illuminated

**Mirror cabinet Royal Modular 2.0**

2 doors double sided crystal mirror, body aluminium silver-anodized, rear panel in back-lacquered white glass

Illumination:

adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), top- and downlight are infinitely dimmable and can be switched on/off, LED 25-43 Watt (Lifespan > 30.000 hrs.), lamps non-exchangeable

Operation:

Key panel with capacitive touch sensor

Basic equipment:

adjustable glass shelves: 3 x at cabinet height 700 mm / 4 x at cabinet height 900 mm

Selectable options:

Illumination: illuminated / illuminated DALI controlled

Installation: for recessed installation- / wall mounted

Width X: 600 - 1200 mm

Height Y: 700 / 900 mm

Depth Z: 120 / 160 mm

Socket: without / 1 socket / 1 socket + 1 double USB charger


Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80021 ... Mirror cabinet, 2 doors, illuminated					
80022 ... Mirror cabinet, 2 doors, illuminated, DALI controlled					
	... 0 recessed installation				
	... 1 wall mounted				
		... 06 600			
		... 07 700			
		... 08 800			
		... 09 900			
		... 10 1000			
	NEW	... 00 1050			
		... 11 1100			
		... 12 1200			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 200 1 x
					... 300 1 x + 1 double USB charger
Article No.:					
Price:					

Ordering Article No.:

Total price:

Mirror cabinets illuminated

**Mirror cabinet Royal Modular 2.0**

3 doors double sided crystal mirror, body aluminium silver-anodized, rear panel in back-lacquered white glass

Illumination:

adjustable light colour from 2700 kelvin (warm white) to 6500 kelvin (daylight), top- and downlight are infinitely dimmable and can be switched on/off, LED 32-54 Watt (Lifespan > 30.000 hrs.), Lamps non-exchangeable

Operation:

Key panel with capacitive touch sensor

Basic equipment:

adjustable glass shelves: 6 x at cabinet height 700 mm / 8 x at cabinet height 900 mm

Selectable options:

Illumination: illuminated / illuminated DALI controlled

Installation: for recessed installation- / Wall mounted

Width X: 900 - 1500 mm

Height Y: 700 / 900 mm


Depth Z: 120 / 160 mm

Socket: without / 1 socket / 1 socket + 1 double USB charger

Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80031 ... Mirror cabinet, 3 doors, illuminated					
80032 ... Mirror cabinet, 3 doors, illuminated, DALI controlled					
	... 0 recessed installation				
	... 1 wall mounted				
		... 09 900			
		... 10 1000			
		NEW ... 00 1050			
		... 11 1100			
		... 12 1200			
		... 13 1300			
		... 14 1400			
		... 15 1500			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 200 1 x
					... 300 1 x + 1 double USB charger
Article No.:					
Price:					
Ordering Article No.:	Total price:				

Mirror cabinets illuminated

**Mirror cabinet Royal Modular 2.0**

4 doors double sided crystal mirror
body aluminium silver-anodized,
rear panel in back-lacquered white glass

Illumination:

adjustable light colour from
2700 kelvin (warm white) to 6500 kelvin (daylight),
top- and downlight are infinitely dimmable and can be switched on/off,
LED 58 Watt (Lifespan > 30.000 hrs.)
Lamps non-exchangeable

Operation: Key panel with capacitive touch sensor

Basic equipment:

adjustable glass shelves: 6 x at cabinet height 700 mm /
8 x at cabinet height 900 mm

Selectable options:

Illumination: illuminated / illuminated DALI controlled
Installation: for recessed installation- / wall mounted
Width X: 1600 - 2100 mm
Height Y: 700 / 900 mm
Depth Z: 120 / 160 mm
Socket: without / 2 sockets / 2 sockets + 2 double USB charger

Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80041 ... Mirror cabinet, 4 doors illuminated					
80042 ... Mirror cabinet, 4 doors illuminated, DALI controlled					
	... 0 recessed installation				
	... 1 wall mounted				
		... 16 1600			
		... 17 1700			
		NEW ... 01 1750			
		... 18 1800			
		... 19 1900			
		... 20 2000			
		... 21 2100			
			... 0 700		
			... 1 900		
				... 003 120	
				... 103 160	
					... 000 without
					... 400 2 x
					... 500 2 x + 2 Double USB Charger
Article No.:					
Price:					
Ordering Article No.:	Total price:				

Mirror cabinets

**Mirror cabinet Royal Modular 2.0**

1door double sided crystal mirror, body aluminium silver-anodized,
rear panel in back-lacquered white glass

Illumination:

- not illuminated

Basic equipment:


6 adjustable glass shelves, 1 middle shelf aluminium

- Width 350 mm
- Height 1600 mm
- Socket without socket

Selectable options:

Installation: for recessed installation- / wall mounted

Depth Z: 120 / 160 mm





Please note the ordering information on page 37.3!

Basic article	Installation	Width in mm	Height in mm	Depth in mm	Socket
80000 ... mirror cabinet, 1 door door hinged left, not illuminated					
80010 ... mirror cabinet, 1 door door hinged right, not illuminated					
	... 0 recessed installation				
	... 1 wall mounted				
		... 03 350			
			... 2 1600		
				... 000 120	
				... 100 160	
					... 000 without
Article No.:					
Price:					

Ordering Article No.:

Total price:

Accessories

Nr.	Artikel
	<p>Cosmetic mirror for placing or clamping on glass shelves / mirror doors, magnification factor x 3, mirror dimension: \varnothing 149 mm</p> <p>800900000000200</p> <p>dark grey</p>
	<p>Magnetic strip self-adhesive (double-sided adhesive tape), can be glued to the inside of the mirrored door, the glass rear wall or to the side carcass profile as desired</p> <p>800900000000100</p> <p>70 x 10 x 2 mm</p> <p>silver polished</p> <p>Note: When mounting on the glass rear wall or on the side carcase profile, please note that the height adjustability of the glass shelves and the storage space may be limited.</p>

