

KEUCO


KEUCO GmbH & Co. KG
Postfach 13 65
D-58653 Hemer

KEUCO Management Inc.
3675 Crestwood Parkway NW, Ste 222
Duluth, GA 30096
Phone 1-877-281-8260
office-usa@keuco.com
www.keuco.com

Art.-Nr.: 03507/510500 Edition 400 Armaturen, englisch (US), 05/2019

EDITION 400

Faucets








KEUCO

SOPHISTICATION MADE IN GERMANY


A characteristic of EDITION 400 is its sensuously beautiful style. The gleaming chrome-plated faucets of the series present themselves like slender sculptures. Virtually works of art, their extraordinary presence almost makes you forget their actual purpose. Conceived by the design agency Tesseraux+Partner in Potsdam and rewarded the "Design Plus" seal of quality, they are a prominent stylish element in KEUCO's full range of bathroom furnishings.

What makes Edition 400 faucets unique, is the perfection in the details. The extravagant metallic surfaces of the faucets are an excellent example of this, where the warm bronze, champagne-colored nickel, and opulent black – each either brushed or polished – so wonderfully underscore the exquisite character of EDITION 400.



-  **Chrome-plated**
polished (color no. 01)
-   **Bronze**
polished (color no. 02)
brushed (color no. 03)
-   **Nickel**
polished (color no. 04)
brushed (color no. 05)
-   **Black Chrome**
polished (color no. 12)
brushed (color no. 13)

Exclusively manufactured metal surfaces, either brushed or polished, prove our highest demands for innovation in design and technology of accessories.



STATUE FOR THE BATHROOM

KEUCO's sculptural EDITION 400 faucets speak a language of accentuation. The shower and bath faucets in different finishes provide the perfect excuse to spend a soothing time relaxing in the bathroom. Once again KEUCO has focused on the essentials here – the free-standing bath tub mixer with separate hand shower and practical glass shelf for bathroom utensils. It stands alone, and can also be perfectly combined with a variety of bath tubs.



EDITION 400 FAUCETS

Surfaces:



51504



51502



51502



51515



51505



51509



51545



51516



51571



51572



51573



51574



51527



51585



53987



51180



53980



56080



53947



59987



59988



59989



59989



54995



59995



53088/53086



51688/51686



53089/53086



51689/51686



54991

51504
Single lever faucet mixer 120
with or without pop-up waste, single hole installation, cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 3/8 inch – compression flow rate 1.2 gpm, height: 5-1/16 inch

51502
Single lever faucet mixer 150
with or without pop-up waste, single hole installation, cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 3/8 inch – compression flow rate 1.2 gpm, height: 6-1/14 inch

51505
Single lever faucet mixer 150
with or without pop-up waste, spout swiveling +/- 45°, single hole installation, cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 3/8 inch – compression flow rate 1.2 gpm, height: 6-1/4 inch

51502
Single lever faucet mixer 240
with or without pop-up waste, single hole installation, cartridge with ceramic discs, aerator SLIM SSR M 24x1, adjustable, pressure hoses 3/8 inch – compression flow rate 1.2 gpm, height: 9-5/8 inch

51515
Widespread faucet 150
with or without pop-up waste, 3-hole installation, ceramic valve for temperature control and ceramic valve for volume control, aerator SLIM M 24x1 pressure hoses 3/8 inch – compression flow rate 1.2 gpm, height: 6-1/4 inch

51509
Single lever bidet faucet
with or without pop-up waste, single hole installation, cartridge with ceramic discs ball-joint aerator cache TJ M 18,5x1 pressure hoses 3/8 inch - compression flow rate 2 gpm, height: 2-7/8 inch

51545
Bath filler/spout
suitable for all concealed faucets projection: 6 inch, 7-15/16 inches

51516
Wall mounted faucet
concealed, 1/2 inch NPT, cartridge with ceramic disks aerator SLIM M 24x1, adjustable, flow rate 1.2 gpm required in wall with rough part no. 59916 005070 6-1/2 inch, 7-3/8 inch, 9-1/2 inch

51571
Pressure balance shower trim, valve and cartridge
set complete with: handle, sleeve, wall trim for one outlet, mixing cartridge with pressure balance valve, required in wall rough part no. 59970 005070 (FLEX.BOX)

51572
Pressure balance tub and shower trim, valve and cartridge with diverter
set complete with: handle, sleeve, wall trim, mixing cartridge with pressure balance valve, required in wall rough part no. 59970 005070 (FLEX.BOX)

51573/51574
Thermostatic mixer
with ceramic stop valve (51573), with ceramic stop valve and diverter (51574), both with safety stop at 100 F set complete with: handle, sleeve, escutcheon and installation unit, required in wall rough part no. 59970 005070 (FLEX.BOX)

51527
Single lever bath tub mixer
floor-mounted, spout with areator hand shower and shower hose 49-3/16 inch length, 4.5 gpm maximum spout flow rate, 1.8 gpm maximum hand shower (56080) flow rate, with rotating clear glass shelf

51585
Hand shower sliding rail
consisting of:
– rail and hand-shower bracket height adjustable with handle, with adjustable tilt angle
– spacer disc (3/16 inch)

53987
Shower set
consisting of:
– rail and hand-shower bracket height adjustable tilt angle
– spacer disc (3/16 inch)
– hand shower with 3 jets

51180
Hand shower
with anti limescale device 1 function flow rate 1.8 gpm

53980
Hand shower
with anti limescale device 3 functions: normal, soft, massage flow rate 1.8 gpm

56080
Round pencil hand shower
with normal spray flow rate to 1.8 gpm

53947
Wall outlet for shower hose
with backflow preventer

59987
Shower head
round, Ø 5-1/8 inch, 1 function flow rate 1.8 gpm

59988
Shower head
round, Ø 2-5/8 inch, 3 functions flow rate 1.8 gpm

59989
Arm for shower head
wall mounted, with 44° angle and square or round escutcheon

54995/59995
Shower hose
metal color, kink protection, very flexible (54995) made of metal, kink protection, very flexible, length: 49-3/16", 62", 78-3/4" (59995) with double-sides 1/2" conical nuts, twist-protection at the shower head end, length 49-3/16", 63"

53088/53086
Shower head with wall shower arm
square, 9-13/16 x 9-13/16", flow rate 1.8 gpm wall mounted, with round, decorative escutcheon, projection: 11-13/16", 17-13/16"

51688/51686
Shower head with wall shower arm
round, Ø7-1/16", 1 function flow rate 1.8 gpm projection: 3-15/16", 11-13/16"

53089/53086
Shower head with ceiling shower arm
square, 9-13/16 x 9-13/16", flow rate 1.8 gpm ceiling mounted, with round decorative escutcheon, projection: 3-15/16", 11-13/16"

51689/51686
Shower head with ceiling shower arm
round, Ø7-1/16", 1 function, flow rate 1.8 gpm projection: 3-15/16", 11-13/16"

54991
Wall bracket for hand shower
for shower hoses with fitted conical end brackets